


**35 SEE NOTE (4)**



**EXPLODED VIEW: EV AIR CLEANER 2.4L G2 TURBO****DRAWING #: 0H1954****GROUP D**

| ITEM     | PART#         | QTY.   | DESCRIPTION                    |
|----------|---------------|--------|--------------------------------|
| 1        | 0F4269        | 2      | GASKET MIXER BODY              |
| 2        | 0H0030        | 1      | ADAPTOR-MIXER                  |
| 3        | 0G39340ST03   | 1      | BRACKET AIR INTAKE             |
| 4        | 035480        | 1      | BOLT U 5/16-18 X 2.06          |
| 5        | 0H0028        | 1      | ADAPTOR-AIR CLEANER            |
| 6        | 0F4271        | 1      | BASE PLATE, AIR CLEANER        |
| 7        | 0H0219        | 1      | PLUG PLASTIC 2.5" BLACK        |
| 8        | 0F5418        | 1      | ELEMENT AIR FILTER             |
| 9        | 0F4270        | 1      | HOLD DOWN AIR CLEANER PLATED   |
| 10       | 0F6323        | 1      | PLATE, AIR CLEANER TOP         |
| 11       | 0H0035        | 1      | HOSE AIR INTAKE                |
| 12       | 0G0153        | 1      | BARBED EL 90 1/2NPT X 3/4 HOSE |
| 13       | 0D3700        | 4      | NUT FLANGE M6-1.0 NYLOK        |
| 14       | 049811        | 8      | WASHER, FLAT, M6               |
| 15       | 045757        | 4      | SCREW HHC M6-1.0 X 25 G8.8     |
| 16       | 022097        | 4      | WASHER LOCK M6-1/4             |
| 17       | 047411        | 4      | SCREW HHC M6-1.0 X 16 C8.8     |
| 18       | 022145        | 2      | WASHER FLAT 5/16-M8 ZINC       |
| 19       | 022129        | 2      | WASHER LOCK M8-5/16            |
| 20       | 039253        | 2      | SCREW HHC M8-1.25 X 20 G8.8    |
| 21       | 037561        | 1      | NUT WING 1/4-20 W/NY INS ST ZN |
| 22       | 0D3700        | 4      | NUT FLANGE M6-1.0 NYLOK        |
| 23       | 049811        | 8      | WASHER, FLAT, M6               |
| 24       | 045757        | 4      | SCREW HHC M6-1.0 X 25 G8.8     |
| 25       | 022097        | 4      | WASHER LOCK M6-1/4             |
| 26       | 047411        | 4      | SCREW HHC M6-1.0 X 16 C8.8     |
| 27       | 086133C       | 2      | CLAMP HI TORQUE 1.75 - 2.625   |
| 28       | 039253        | 2      | SCREW HHC M8-1.25 X 20 G8.8    |
| 29       | 022129        | 4      | WASHER LOCK M8-5/16            |
| 30       | 022145        | 4      | WASHER FLAT 5/16-M8 ZINC       |
| 31       | 022259        | 2      | NUT HEX 5/16-18 STEEL          |
| 32       | 0H1712        | 1      | BARBED EL-90 POLY 1/2NPT X 3/4 |
| 33       | 057822        | 2      | CLAMP HOSE #8 .53-1.00         |
| 34       | 059057        | 1      | HOSE 3/4 ID SAE-30R2 (6"LG)    |
| 35       | 0H0027        | 1      | FITTING VENT VALVE COVER 2.4L  |
|          | 047527(3)(4)  | 1      | BARBED STR 1/2NPT X 3/4        |
|          | 0H1644(4)     | 1      | FTG VNT VALVE COVER            |
|          | 0G10080103(4) | 1(REF) | GASKET, PCV VALVE              |
| 36(1)(2) | 0H1787A       | 1      | PIPE INSULATION ELBO           |
| 37(2)    | 0H1787        | 1      | PIPE INSULATION (4.5"LG)       |
| 38(2)    | 0H1801        | 1      | PIPE INSULATION TAPE (7"LG)    |

(1)TRIM PIPE INSULATION ELBOW TO FIT.

(2)INSULATION SHALL COMPLETELY COVER I/N'S 32, 34 &amp; 35.


(3)APPLY PIPE SEALANT COMPOUND TO THREADS.

(4) ALTERNATE CONFIGURATION REQUIRES ALL NOTED PARTS.

NOTE: APPLY LOCTITE 620 BEARING RETAINMENT COMPOUND TO OUTSIDE  
SURFACE OF FITTING (I/N 35) THAT PRESSES INTO VALVE COVER.

# GROUP D

35 SEE NOTE (4)



**EXPLODED VIEW: AIR CLEANER 2.4L G2 TURBO****DRAWING #: 0H1954****GROUP D****APPLICABLE TO:**

| ITEM     | PART#         | QTY.   | DESCRIPTION                    |
|----------|---------------|--------|--------------------------------|
| 1        | 0F4269        | 2      | GASKET MIXER BODY              |
| 2        | 0H0030        | 1      | ADAPTOR-MIXER                  |
| 3        | 0G39340ST03   | 1      | BRACKET AIR INTAKE             |
| 4        | 035480        | 1      | BOLT U 5/16-18 X 2.06          |
| 5        | 0H0028        | 1      | ADAPTOR-AIR CLEANER            |
| 6        | 0F4271        | 1      | BASE PLATE, AIR CLEANER        |
| 7        | 0H0219        | 1      | PLUG PLASTIC 2.5" BLACK        |
| 8        | 0F5418        | 1      | ELEMENT AIR FILTER             |
| 9        | 0F4270        | 1      | HOLD DOWN AIR CLEANER PLATED   |
| 10       | 0F6323        | 1      | PLATE, AIR CLEANER TOP         |
| 11       | 0H0035        | 1      | HOSE AIR INTAKE                |
| 12       | 0G0153        | 1      | BARBED EL 90 1/2NPT X 3/4 HOSE |
| 13       | 0D3700        | 4      | NUT FLANGE M6-1.0 NYLOK        |
| 14       | 049811        | 8      | WASHER, FLAT, M6               |
| 15       | 045757        | 4      | SCREW HHC M6-1.0 X 25 G8.8     |
| 16       | 022097        | 4      | WASHER LOCK M6-1/4             |
| 17       | 047411        | 4      | SCREW HHC M6-1.0 X 16 C8.8     |
| 18       | 022145        | 2      | WASHER FLAT 5/16-M8 ZINC       |
| 19       | 022129        | 2      | WASHER LOCK M8-5/16            |
| 20       | 039253        | 2      | SCREW HHC M8-1.25 X 20 G8.8    |
| 21       | 037561        | 1      | NUT WING 1/4-20 W/NY INS ST ZN |
| 22       | 0D3700        | 4      | NUT FLANGE M6-1.0 NYLOK        |
| 23       | 049811        | 8      | WASHER, FLAT, M6               |
| 24       | 045757        | 4      | SCREW HHC M6-1.0 X 25 G8.8     |
| 25       | 022097        | 4      | WASHER LOCK M6-1/4             |
| 26       | 047411        | 4      | SCREW HHC M6-1.0 X 16 C8.8     |
| 27       | 086133C       | 2      | CLAMP HI TORQUE 1.75 - 2.625   |
| 28       | 039253        | 2      | SCREW HHC M8-1.25 X 20 G8.8    |
| 29       | 022129        | 4      | WASHER LOCK M8-5/16            |
| 30       | 022145        | 4      | WASHER FLAT 5/16-M8 ZINC       |
| 31       | 022259        | 2      | NUT HEX 5/16-18 STEEL          |
| 32       | 0H1712        | 1      | BARBED EL-90 POLY 1/2NPT X 3/4 |
| 33       | 057822        | 2      | CLAMP HOSE #8 .53-1.00         |
| 34       | 059057        | 1      | HOSE 3/4 ID SAE-30R2 (7.62"LG) |
| 35       | 0H0027        | 1      | FITTING VENT VALVE COVER 2.4L  |
|          | 047527(3)(4)  | 1      | BARBED STR 1/2NPT X 3/4        |
|          | 0H1644(4)     | 1      | FTG VNT VALVE COVER            |
|          | 0G10080103(4) | 1(REF) | GASKET, PCV VALVE              |
| 36(1)(2) | 0H1787A       | 1      | PIPE INSULATION ELBO           |
| 37(2)    | 0H1787        | 1      | PIPE INSULATION (4.5"LG)       |
| 38(2)    | 0H1801        | 1      | PIPE INSULATION TAPE (7"LG)    |

(1)TRIM PIPE INSULATION ELBOW TO FIT.

(2)INSULATION SHALL COMPLETELY COVER I/N'S 32, 34 &amp; 35.

(3)APPLY PIPE SEALANT COMPOUND TO THREADS.

(4) ALTERNATE CONFIGURATION REQUIRES ALL NOTED PARTS.

NOTE: APPLY LOCTITE 620 BEARING RETAINMENT COMPOUND TO OUTSIDE  
SURFACE OF FITTING (I/N 35) THAT PRESSES INTO VALVE COVER.