


GROUP E



EXPLODED VIEW: EV FUEL 9.0L LPV 130/150KW UL

DRAWING #:0K8685

GROUP E

ITEM	PART#	QTY.	DESCRIPTION
1	G022097	6	WASHER LOCK M6-1/4
2	G059057	1	HOSE 3/4 ID SAE-30R2 (8.5"LG)
3	G028238	1	BOLT U 5/16-18 X 1.50
4	G035586	2	CLAMP HOSE #20 .87-1.75
5	G080762	1	BOLT U 3/8-16 X 2.62
6	G039680	1	NIPPLE PIPE 1 NPT X 2
7	G022259	4	NUT HEX 5/16-18 STEEL
(2)8	0K6666	1	VALVE SOLENOID 3/4" ORF 12VDC
9	0K5737A	1	PIPE ASSY MXR-TRBO G9L G18 TA
10	G049120	2	BARBED EL 90 1/2NPT X 3/4
11	0H6640	1	MIXER 0H6639 WITH TAMPER CAPS
12	G057823	4	CLAMP HOSE #10 .56-1.06
(1)13	0K83870ST0R	1	BRACKET QUICK START SOLENOID_INST
14	0E4392	1	ACTUATOR BOSCH 60, GOVERNOR
15	0G0267	1	SOLENIOD VALVE 12VDC MODIFIED
(3)16	0C9752	REF	GASKET 225M CARBURATOR MIXER
17	077879	1	HOSE VACUUM 5/32 (16"LG)
18	0E4390	1	GASKET, GOVERNOR ACTUATOR
19	090388	2	SCREW HHTT M6-1.0 X 12 ZINC
20	G039294	4	CLAMP HOSE #44 2.31-3.25
21	G059057	1	HOSE 3/4 ID SAE-30R2 (36.9"LG)
22	0E0612C	1	ASSY LPG FUEL LINE 9.0L 130KW
A	G062091	1	ELBOW 90D 1-1/2NPT
B	0K8386	3	NIPPLE PIPE 1.5 NPT X 2 BLK IRON
C	10000009396	1	FUEL REGULATOR 1.5 G9L WP
D	0G4857F	2	SOLENOID 12V 1-1/2" NPT
E	G042909	4	SCREW HHC M8-1.25 X 30 C8.8
F	G022145	8	WASHER FLAT 5/16-M8 ZINC
G	G045771	4	NUT HEX M8-1.25 G8 CLEAR ZINC
H	055945A	1	O-RING - DBL GAS SHUTOFF VALVE
J	G035578	1	NIPPLE CLOSE 1/8NPT
K	G029612	1	COUPLING FULL 1/8-27 ZP
L	0F3869	1	SWITCH PRESSURE GAS 5.2" RISE
M	0K8537	1	RIGHT ANGLE REDUCING TEE 2 X 1.5 X 2
N	0J7448	1	BSHG RDCR HEX 2 X 1/4 GALV
P	0K2340	1	PLUG PRESSURE GAUGE 1/4" NPT
Q	0K3795	1	HANG TAG FUEL PRESSURE TEST POINT
R	0K4927	2	NIPPLE PIPE 2NPT X 2.5 BL IRON
S	G059933	1	ELBOW 90D 2NPT
(1)T	0G70290ST0R	1	WELDMNT,2IN COUPLER & BRKT
23	G059967	1	BARBED STR 3/4NPT X 3/4
24	G039450	1	BARBED EL 90 3/16 X 1/8
25	0G4816	1	VACUUM FITTING, 1/4-28 THREAD
(1)26	0K9645AST0R	1	ASY BRKT FUEL G9.0L 130KW LPV
	0K86330ST0R	1	BRKT FUEL G9.0L G18 150KW
27	G022129	10	WASHER LOCK M8-5/16
28	0E4365	1	ADAPTOR MACHINING, FUEL MIXER
29	0D2157	4	SCREW SHC M6-1.0 X 50 C8.8
30	G049813	2	NUT HEX M6-1.0 G8 CLEAR ZINC
31	G077879	1	HOSE VACUUM 5/32 (45"LG - 130KW) (49.5"LG - 150KW)
32	G030131	1	ELBOW 90D 1-1/4NPT
33	G057434	1	HOSE 1.25 ID LP & NG (40"LG - 130KW) (46"LG - 150KW)
34	G059457	1	BSHG RDCR HEX 1.5 TO 1.25 BL
35	G038671	1	BSHG RDCR HEX 1-1/4 TO 1
36	0K0999	1	DECAL UL FUEL RATING CONFIG
37	G043107	4	SCREW HHC M8-1.25 X 25 C8.8
38	0E4404A	3	VULCO STRAIGHT COOLANT HOSE
39	G022145	10	WASHER FLAT 5/16-M8 ZINC
40	G022473	4	WASHER FLAT 1/4-M6 ZINC
41	G024526	2	SCREW HHTT 5/16-18 X 3/4 CZ

EXPLODED VIEW: EV FUEL 9.0L LPV 130/150KW UL**DRAWING #:0K8685****GROUP E**

ITEM	PART#	QTY.	DESCRIPTION
42	0G5864	4	SCREW PPHM #12-24 X 3/4 SEMS E
43	G042568	2	SCREW HHC M6-1.0 X 20 C8.8
44	G070303	2	BARBED STRAIGHT
45	0E0612D	1	ASSY LPG FUEL LINE 9.0L 150KW
A	G062091	1	ELBOW 90D 1-1/2NPT
B	0K8386	3	NIPPLE PIPE 1.5 NPT X 2 BLK IRON
C	10000009396	1	FUEL REGULATOR 1.5 G9L WP
D	0G4857F	2	SOLENOID 12V 1-1/2" NPT
E	G042909	4	SCREW HHC M8-1.25 X 30 C8.8
F	G022145	8	WASHER FLAT 5/16-M8 ZINC
G	G045771	4	NUT HEX M8-1.25 G8 CLEAR ZINC
H	055945A	1	O-RING - DBL GAS SHUTOFF VALVE
J	G035578	1	NIPPLE CLOSE 1/8NPT
K	G029612	1	COUPLING FULL 1/8-27 ZP
L	0F3869	1	SWITCH PRESSURE GAS 5.2" RISE
M	0K8537	1	RIGHT ANGLE REDUCING TEE 2 X 1.5 X 2
N	0J7448	1	BSHG RDCR HEX 2 X 1/4 GALV
P	0K2340	1	PLUG PRESSURE GAUGE 1/4" NPT
Q	0K3795	1	HANG TAG FUEL PRESSURE TEST POINT
R	0K4927	2	NIPPLE PIPE 2NPT X 2.5 BL IRON
S	G059933	1	ELBOW 90D 2NPT
(1)T	0G7029AST0R	1	WELDMENT 2IN COUPLER& BRKT G20
U	G036277	1	ELBOW 90D STREET 1/8
46	G055476	1	BSHG RDCR HEX 3/8 TO 1/8 BRASS
47			
(3)48	061258A	REF	AIR CLEANER GASKET 139.7 OD
49	0G1285E	2	CLAMP CNST TENSION 2.75-3.625
50	G036797	1	BOLT/SDL U 5/16-18 X 2.125
51	G026488	1	ELBOW 45D 3/4NPT
52	G026915	1	NIPPLE CLOSE 3/4 X 1.375
53	G083977	1	BARBED EL 90 3/4NPT X 3/4
54	0K9544	1	HARN FUEL JUMPER NG/LPV 3POS (NOT SHOWN)
55	G050280	1	DECAL FUEL INLET LPG

NOTES (UNLESS OTHERWISE SPECIFIED):

(1) SHEET METAL PARTS LISTED IN THE BOM TABLE ARE REPRESENTING GENERIC PARTS (NO COLOR)

- MANUFACTURING: FOR CORRECT MATERIAL AND COLOR REFER TO XA BOM.
- CUSTOMER: WHEN ORDERING REPLACEMENT PARTS ENTER BASE NUMBER (FIRST 6 DIGITS ONLY) IN THE SYSTEM FOR CORRECT MATERIAL AND COLOR (FOR REFERENCE SEE GUIDELINE 0H7169).

(2) ORIENTATION OF SOLENOID TO BE SET WITH OUTLET PORT TOWARD MIXER AND INLET PORT TOWARDS ENGINE.

(3) SUPPLIED WITH I/N 11, P/N 0H6640 (MIXER 0H6639 WITH TAMPER CAPS)

EXPLODED VIEW: EV FUEL 9.0L LPV 130/150KW UL

DRAWING #:0K8685

GROUP E

ITEM	PART#	QTY.	DESCRIPTION
-------------	--------------	-------------	--------------------

This page left blank intentionally