

# EXPLODED VIEW: ENGINE COMMON PARTS 4.2L G3

## DRAWING #: 0G5964

# GROUP D


APPLICABLE TO:

| ITEM   | PART #  | QTY. | DESCRIPTION                    |
|--------|---------|------|--------------------------------|
| 1      | 0G4969  | 1    | ENGINE 4.2L G3 (FWD)           |
| 2      | 047411  | 4    | SCREW HHC M6-1.0 X 16 C8.8     |
| 3      | 022097  | 10   | WASHER LOCK M6-1/4             |
| 4      | 022473  | 4    | WASHER FLAT 1/4-M6 ZINC        |
| 5      | 0E6585  | 1    | COVER IAC ACTUATOR             |
| 6      | 0G6434  | 2    | SHIELD SPARK PLUG BOOT RH      |
| 7      | 036261  | 10   | RIVET POP .125 X .275 SS       |
| 8      | 022145  | 7    | WASHER FLAT 5/16-M8 ZINC       |
| 9      | 022129  | 9    | WASHER LOCK M8-5/16            |
| 10     | 0G6426  | 3    | SHIELD SPARK PLUG BOOT LH      |
| 11     | 077996A | 1    | CAP ANTIFREEZE 5/8"ID X 2.5"LG |
| 12     | 048031L | 4    | CLAMP HOSE BAND 1.0"           |
| 13     | 045773  | 2    | NUT HEX M12-1.75 G8 YEL CHR    |
| 14     | 051769  | 2    | WASHER LOCK M12                |
| 15     | 049808  | 8    | WASHER FLAT M12                |
| 16     | 0G5971  | 1    | RESTRICTOR COOLANT BYPASS      |
| 17     | 0G5474  | 1    | HOSE COOLANT BYPASS 4.2L       |
| 18     | 0A6751  | 1    | SWITCH HI-TEMP 245D X 3/8NPT   |
| 19     | 0G5511  | 2    | GASKET THERMOSTAT 4.2L         |
| 20     | 049226  | 12   | WASHER LOCK M5                 |
| 21     | 074908  | 1    | SCREW HHTT M5-0.8 X 10 BP      |
| (1) 22 | REF.    | 1    | THERMOSTAT 192 DEGREE          |
| (1) 23 | REF.    | 1    | THERMOSTAT HOUSING             |
| 24     | 020753  | 2    | SCREW HHC M6-1.0 X 60 C8.8     |
| 25     | 035685  | 2    | CLAMP HOSE #28 1.32-2.25       |
| 26     | 0G5464  | 1    | HOSE RADIATOR REAR             |
| 27     | 0E9747  | 1    | STARTER, 12 VOLT               |
| 28     | 052645  | 2    | SCREW HHC M12-1.75 X 30 C8.8   |
| 29     | 068406  | 1    | SCREW HHC M12-1.75 X 60 C10.9  |
| 30     | 053557  | 2    | SCREW HHC M12-1.75 X 40 C8.8   |
| 31     | 0F9965D | 1    | FLEX PLATE G3                  |
| 32     | 0F3844  | 6    | WASHER FLAT .45 X 1.00         |
| 33     | 046526  | 11   | WASHER LOCK M10                |
| (2) 34 | 0G3757  | 6    | SCREW HHC M10-1.0 X 30 C10.9   |
| 35     | 068407  | 1    | SCREW HHC M12-1.75 X 90 C10.9  |
| 36     | 049541  | 2    | SCREW HHC M10-1.5 X 35 C8.8    |
| 37     | 022131  | 9    | WASHER FLAT 3/8-M10 ZINC       |
| 38     | 0G5231  | 1    | ENGINE ADAPTER 4.2L MACHINED   |
| 39     | 0G5586  | 1    | SPACER FLEXPLATE 4.2L          |
| 40     | 051756  | 4    | SCREW HHC M10-1.5 X 20 C8.8    |
| 41     | 0G5730  | 1    | HEAT SHIELD EXH 4.2L LH        |
| 42     | 0G5649  | 1    | CAP TUBE M22-1.5 STEEL         |

| ITEM      | PART #      | QTY. | DESCRIPTION                              |
|-----------|-------------|------|------------------------------------------|
| 43        | 045772      | 2    | NUT HEX M10-1.5 G8 YEL CHR               |
| 44        | 0E0992A     | 6    | PLUG EXPANSION 14 OD                     |
| 45        | 055934V     | 1    | CLAMP VINYL 1.5 X .281 Z                 |
| (1) 46    | REF.        | 1    | SCREW HHC M6-1.0 X 25 LONG               |
| 47        | 0F6746      | 1    | TUBE UPPER COOLANT                       |
| 48        | 052619      | 6    | SCREW HHC M5-0.8 X 20 G8.8               |
| 49        | 0F2842      | 6    | IGNITION COIL ASSY                       |
| 50        | 052618      | 3    | SCREW HHC M5-0.8 X 12 C8.8               |
| 51        | 0G5843      | 1    | HARN ENG 4.2L G3 R-200 4P (NOT SHOWN)    |
| 52        | 0G6368      | 1    | BRACKET IGNITION COILS G3 4.2L           |
| 53        | 0G1818      | 1    | VALVE PCV G3                             |
| 54        | 0F5114      | 1    | DECAL REFER TO OWNERS MANUAL             |
| 55        | 049821      | 3    | SCREW SHC M8-1.25 X 30 G12.9             |
| 56        | 0G54910ST03 | 1    | WELDMENT IDLER BRACKET 4.2L              |
| 57        | 0D8028      | 1    | PULLEY GROOVED ENGINE IDLER              |
| (2) 58    | 0D8025      | 1    | BOLT HEX FL HD M8-1.25 X 28              |
| 59        | 0G1738A     | 1    | CAP ANTIFREEZE RUBBER 8.5DIA             |
| 60        | 048031M     | 1    | CLAMP HOSE BAND .75                      |
| 61        | 0G5601      | 1    | STRAP INTAKE ACTUATOR                    |
| 62        | 077996      | 2    | CAP ANTIFREEZE 5/8"ID X 1.2"LG           |
| 63        | 0G55800ST03 | 1    | BRACKET DC ALTERNATOR LH 4.2L            |
| (2) 64    | 0E9868A     | 1    | ALTERNATOR DC W/OUT PULLEY               |
| 65        | 0G0638A     | 1    | SPACER ALTERNATOR 4.2L G3                |
| 66        | 048031C     | 2    | CLAMP HOSE BAND .50                      |
| 67        | 0E9974      | 2    | CAP VINYL 3/8"ID X 1"DP BLK              |
| 68        | 0A8584      | 1    | SWITCH OIL PRESSURE 10PSI 2P             |
| 69        | 043107      | 4    | SCREW HHC M8-1.25 X 25 C8.8              |
| 70        | 0F3217      | 1    | SPACER DC ALTERNATOR PULLEY              |
| 71        | 0F3216B     | 1    | PULLEY 117 OD DC ALTERNATOR              |
| 72        | 0E2808      | 1    | SCREW HHC M10-1.5 X 160 C8.8             |
| (1) 73    | REF.        | 1    | SCREW HHC M8-1.25 X 115 LONG             |
| (1) 74    | REF.        | 1    | SCREW HHC M8-1.25 X 105 LONG             |
| 75        | 0G54220ST11 | 1    | TUBE COOLANT LOWER RADIATOR              |
| 76        | 0G5759      | 1    | O-RING 1-1/2" X 1-3/4" X 1/8"            |
| 77        | 0G5748      | 1    | PULLEY WATER PUMP 4.2L                   |
| (2) 78    | 043116      | 4    | SCREW HHC M6-1.0 X 12 G8.8               |
| (1) 79    | REF.        | 1    | SPACER 46.5 O.D. X 15 I.D. X 5 THK.      |
| (1)(2) 80 | REF.        | 1    | SCREW HHC M14-1.5 X 40 LONG GRADE 10.9   |
| 81        | 0D3488E     | 1    | BELT SERPENTINE 71.04"                   |
| 82        | 0G5258      | 1    | HARMONIC BALANCER REWORK 4.2L            |
| 83        | 051713      | 5    | WASHER FLAT M5                           |
| (2) 84    | 045770      | 2    | SCREW HHC M5-0.8 X 10 C8.8               |
| 85        | 0G55790ST03 | 1    | BRACKET DC ALTERNATOR RH 4.2L            |
| 86        | 052677      | 1    | WASHER NYLON .50 X .87 X .06             |
| 87        | 077456      | 1    | ADAPTER M12-1.75 X 3/8NPT                |
| 88        | 055596      | 1    | BARBED STR 3/8NPT X 3/8                  |
| 89        | 0C7649      | 1    | CLAMP HOSE .38-.87                       |
| 90        | 069860C     | 1    | HOSE OIL DRAIN ASSY 21"                  |
| 91        | 080826      | 2    | SCREW HHC M6-1.0 X 12 SS                 |
| 92        | 083896      | 2    | WASHER LOCK 1/4-M6 SS                    |
| 93        | 084929      | 2    | WASHER FLAT 1/4 SS                       |
| 94        | 0G5729      | 1    | HEAT SHIELD EXH 4.2L RH                  |
| 95        | 0E6593      | 1    | CAP VINYL .5"ID X 1.0"DP BLK             |
| 96        | 048031J     | 1    | CLAMP HOSE BAND .63                      |
| 97        | 0G5515      | 1    | ADAPTER THERMOSTAT                       |
| 98        | 0G0321      | 1    | HOSE COOL 5/8"ID 250#WP (22 1/2"LG)      |
| 99        | 035579      | 1    | BSHG RDCR HEX 1/4 TO 1/8                 |
| 100       | 0G6275      | 1    | TUBE ASSY EGR OUTLET REWORK              |
| (1)101    | REF.        | 2    | SCREW HHC M6-1.0 X 15 LONG               |
| 102       | 0G6393      | 1    | BOLT STRIP 3/8-16 X 1-1/4                |
| 103       | 0G6406      | 1    | SPRING COMPRESSION .711 X 1.00           |
| 104       | 0G6274      | 1    | PRESSURE RELIEF VALVE                    |
| (1)105    | REF.        | 1    | O-RING 29mm I.D. X 36mm O.D. X 3.5mm     |
| 106       | 0G6382      | 1    | SPARK PLUG WIRE SET 4.2L                 |
| (1)107    | REF.        | 1    | RETAINER SPARK PLUG WIRE - LOOSE TYPE    |
| (1)108    | REF.        | 2    | RETAINER SPARK PLUG WIRE - ATTACHED TYPE |
| 109       | 057823      | 3    | CLAMP HOSE #10 .56-1.06                  |
| 110       | 0G6542      | 1    | HARN LOW OIL PRESSURE SWITCH             |
| 111       | 0D2244M     | 1    | ASSY MAGPICKUP(3/8-24 MALE)              |
| 112       | 0G7516      | 1    | DECAL EMISSION CTRL INFO 4.2L            |

(1) SUPPLIED WITH ENGINE  
(2) APPLY MEDIUM STRENGTH BLUE THREAD LOCKING FLUID TO THREADS.

# GROUP D



EXPLODED VIEW:  
ENGINE COMMON PARTS 4.2L G3  
DRAWING #: 0G5964

# EXPLODED VIEW: ENGINE COMMON PARTS 4.2L G3

## DRAWING #: 0G5964

# GROUP D

APPLICABLE TO:

| ITEM   | PART #  | QTY. | DESCRIPTION                    |
|--------|---------|------|--------------------------------|
| 1      | 0G4969  | 1    | ENGINE 4.2L G3 (FWD)           |
| 2      | 047411  | 4    | SCREW HHC M6-1.0 X 16 C8.8     |
| 3      | 022097  | 10   | WASHER LOCK M6-1/4             |
| 4      | 022473  | 4    | WASHER FLAT 1/4-M6 ZINC        |
| 5      | 0E6585  | 1    | COVER IAC ACTUATOR             |
| 6      | 0G6434  | 2    | SHIELD SPARK PLUG BOOT RH      |
| 7      | 036261  | 10   | RIVET POP .125 X .275 SS       |
| 8      | 022145  | 7    | WASHER FLAT 5/16-M8 ZINC       |
| 9      | 022129  | 9    | WASHER LOCK M8-5/16            |
| 10     | 0G6426  | 3    | SHIELD SPARK PLUG BOOT LH      |
| 11     | 077996A | 1    | CAP ANTIFREEZE 5/8"ID X 2.5"LG |
| 12     | 048031L | 4    | CLAMP HOSE BAND 1.0"           |
| 13     | 045773  | 2    | NUT HEX M12-1.75 G8 YEL CHR    |
| 14     | 051769  | 2    | WASHER LOCK M12                |
| 15     | 049808  | 8    | WASHER FLAT M12                |
| 16     | 0G5971  | 1    | RESTRICTOR COOLANT BYPASS      |
| 17     | 0G5474  | 1    | HOSE COOLANT BYPASS 4.2L       |
| 18     | 0A6751  | 1    | SWITCH HI-TEMP 245D X 3/8NPT   |
| 19     | 0G5511  | 2    | GASKET THERMOSTAT 4.2L         |
| 20     | 049226  | 12   | WASHER LOCK M5                 |
| 21     | 074908  | 1    | SCREW HHTT M5-0.8 X 10 BP      |
| (1) 22 | REF.    | 1    | THERMOSTAT 192 DEGREE          |
| (1) 23 | REF.    | 1    | THERMOSTAT HOUSING             |
| 24     | 020753  | 2    | SCREW HHC M6-1.0 X 60 C8.8     |
| 25     | 035685  | 2    | CLAMP HOSE #28 1.32-2.25       |
| 26     | 0G5464  | 1    | HOSE RADIATOR REAR             |
| 27     | 0E9747  | 1    | STARTER, 12 VOLT               |
| 28     | 052645  | 2    | SCREW HHC M12-1.75 X 30 C8.8   |
| 29     | 068406  | 1    | SCREW HHC M12-1.75 X 60 C10.9  |
| 30     | 053557  | 2    | SCREW HHC M12-1.75 X 40 C8.8   |
| 31     | 0F9965D | 1    | FLEX PLATE G3                  |
| 32     | 0F3844  | 6    | WASHER FLAT .45 X 1.00         |
| 33     | 046526  | 11   | WASHER LOCK M10                |
| (2) 34 | 0G3757  | 6    | SCREW HHC M10-1.0 X 30 C10.9   |
| 35     | 068407  | 1    | SCREW HHC M12-1.75 X 90 C10.9  |
| 36     | 049541  | 2    | SCREW HHC M10-1.5 X 35 C8.8    |
| 37     | 022131  | 9    | WASHER FLAT 3/8-M10 ZINC       |
| 38     | 0G5231  | 1    | ENGINE ADAPTER 4.2L MACHINED   |
| 39     | 0G5586  | 1    | SPACER FLEXPLATE 4.2L          |
| 40     | 051756  | 4    | SCREW HHC M10-1.5 X 20 C8.8    |
| 41     | 0G5730  | 1    | HEAT SHIELD EXH 4.2L LH        |
| 42     | 0G5649  | 1    | CAP TUBE M22-1.5 STEEL         |

| ITEM      | PART #      | QTY. | DESCRIPTION                                                     |
|-----------|-------------|------|-----------------------------------------------------------------|
| 43        | 045772      | 2    | NUT HEX M10-1.5 G8 YEL CHR                                      |
| 44        | 0E0992A     | 6    | PLUG EXPANSION 14 OD                                            |
| 45        | 055934V     | 1    | CLAMP VINYL 1.5 X .281 Z                                        |
| (1) 46    | REF.        | 1    | SCREW HHC M6-1.0 X 25 LONG                                      |
| 47        | 0F6746      | 1    | TUBE UPPER COOLANT                                              |
| 48        | 052619      | 6    | SCREW HHC M5-0.8 X 20 G8.8                                      |
| 49        | 0F2842      | 6    | IGNITION COIL ASSY                                              |
| 50        | 052618      | 3    | SCREW HHC M5-0.8 X 12 C8.8                                      |
| 51        | 0G5843      | 1    | HARN ENG 4.2L G3 R-200 4P (NOT SHOWN)                           |
| 52        | 0G6368      | 1    | BRACKET IGNITION COILS G3 4.2L                                  |
| 53        | 0G1818      | 1    | VALVE PCV G3                                                    |
| 54        | 0F5114      | 1    | DECAL REFER TO OWNERS MANUAL                                    |
| 55        | 049821      | 3    | SCREW SHC M8-1.25 X 30 G12.9                                    |
| 56        | 0G54910ST03 | 1    | WELDMENT IDLER BRACKET 4.2L                                     |
| 57        | 0D8028      | 1    | PULLEY GROOVED ENGINE IDLER                                     |
| (2) 58    | 0D8025      | 1    | BOLT HEX FL HD M8-1.25 X 28                                     |
| 59        | 0G1738A     | 1    | CAP ANTIFREEZE RUBBER 8.5DIA                                    |
| 60        | 048031M     | 1    | CLAMP HOSE BAND .75                                             |
| 61        | 0G5601      | 1    | STRAP INTAKE ACTUATOR                                           |
| 62        | 077996      | 2    | CAP ANTIFREEZE 5/8"ID X 1.2"LG                                  |
| 63        | 0G55800ST03 | 1    | BRACKET DC ALTERNATOR LH 4.2L                                   |
| (2) 64    | 0E9868A     | 1    | ALTERNATOR DC W/O PULLEY                                        |
| 65        | 0G0638A     | 1    | SPACER ALTERNATOR 4.2L G3                                       |
| 66        | 048031C     | 2    | CLAMP HOSE BAND .50                                             |
| 67        | 0E9974      | 2    | CAP VINYL 3/8"ID X 1"DP BLK                                     |
| 68        | 0A8584      | 1    | SWITCH OIL PRESSURE 10PSI 2P                                    |
| 69        | 043107      | 4    | SCREW HHC M8-1.25 X 25 C8.8                                     |
| 70        | 0F3217      | 1    | SPACER DC ALTERNATOR PULLEY                                     |
| 71        | 0F3216B     | 1    | PULLEY 117 OD DC ALTERNATOR                                     |
| 72        | 0E2808      | 1    | SCREW HHC M10-1.5 X 160 C8.8                                    |
| (1) 73    | REF.        | 1    | SCREW HHC M8-1.25 X 115 LONG                                    |
| (1) 74    | REF.        | 1    | SCREW HHC M8-1.25 X 105 LONG                                    |
| 75        | 0G54220ST11 | 1    | TUBE COOLANT LOWER RADIATOR                                     |
| 76        | 0G5759      | 1    | O-RING 1-1/2" X 1-3/4" X 1/8"                                   |
| 77        | 0G5748      | 1    | PULLEY WATER PUMP 4.2L                                          |
| (2) 78    | 043116      | 4    | SCREW HHC M6-1.0 X 12 G8.8                                      |
| (1) 79    | REF.        | 1    | SPACER 46.5 O.D. X 15 I.D. X 5 THK.                             |
| (1)(2) 80 | REF.        | 1    | SCREW HHC M14-1.5 X 40 LONG GRADE 10.9                          |
| 81        | 0D3488E     | 1    | BELT SERPENTINE 71.04"                                          |
| 82        | 0G5258      | 1    | HARMONIC BALANCER REWORK 4.2L                                   |
| 83        | 051713      | 5    | WASHER FLAT M5                                                  |
| (2) 84    | 045770      | 2    | SCREW HHC M5-0.8 X 10 C8.8                                      |
| 85        | 0G55790ST03 | 1    | BRACKET DC ALTERNATOR RH 4.2L                                   |
| 86        | 052677      | 1    | WASHER NYLON .50 X .87 X .06                                    |
| 87        | 077456      | 1    | ADAPTER M12-1.75 X 3/8NPT                                       |
| 88        | 055596      | 1    | BARBED STR 3/8NPT X 3/8                                         |
| 89        | 0C7649      | 1    | CLAMP HOSE .38-.87                                              |
| 90        | 069860C     | 1    | HOSE OIL DRAIN ASSY 21"                                         |
| 91        | 080826      | 2    | SCREW HHC M6-1.0 X 12 SS                                        |
| 92        | 083896      | 2    | WASHER LOCK 1/4-M6 SS                                           |
| 93        | 084929      | 2    | WASHER FLAT 1/4 SS                                              |
| 94        | 0G5729      | 1    | HEAT SHIELD EXH 4.2L RH                                         |
| 95        | 0E6593      | 1    | CAP VINYL .5"ID X 1.0"DP BLK                                    |
| 96        | 048031J     | 1    | CLAMP HOSE BAND .63                                             |
| 97        | 0G5515      | 1    | ADAPTER THERMOSTAT                                              |
| 98        | 0G0321      | 1    | HOSE COOL 5/8"ID 250#WP (22 1/2"LG)                             |
| 99        | 035579      | 1    | BSHG RDCR HEX 1/4 TO 1/8                                        |
| 100       | 0G6275      | 1    | TUBE ASSY EGR OUTLET REWORK                                     |
| (1) 101   | REF.        | 2    | SCREW HHC M6-1.0 X 15 LONG                                      |
| 102       | 0G6393      | 1    | BOLT STRIP 3/8-16 X 1-1/4                                       |
| 103       | 0G6406      | 1    | SPRING COMPRESSION .711 X 1.00                                  |
| 104       | 0G6274      | 1    | PRESSURE RELIEF VALVE                                           |
| (1) 105   | REF.        | 1    | O-RING 29mm I.D. X 36mm O.D. X 3.5mm                            |
| 106       | 0G6382      | 1    | SPARK PLUG WIRE SET 4.2L                                        |
| (1) 107   | REF.        | 1    | RETAINER SPARK PLUG WIRE - LOOSE TYPE                           |
| (1) 108   | REF.        | 2    | RETAINER SPARK PLUG WIRE - ATTACHED TYPE                        |
| 109       | 057823      | 3    | CLAMP HOSE #10 .56-1.06                                         |
| 110       | 0G6542      | 1    | HARN LOW OIL PRESSURE SWITCH                                    |
| 111       | 0D2244M     | 1    | ASSY MAGPICKUP(3/8-24 MALE)                                     |
| 112       | 0G7516      | 1    | DECAL EMISSION CTRL INFO 4.2L                                   |
|           |             |      | (1) SUPPLIED WITH ENGINE                                        |
|           |             |      | (2) APPLY MEDIUM STRENGTH BLUE THREAD LOCKING FLUID TO THREADS. |

**EXPLODED VIEW: ENGINE COMMON PARTS 4.2L G3**  
**DRAWING #: 0G5964**


**GROUP D**

APPLICABLE TO:

| ITEM   | PART #  | QTY. | DESCRIPTION                    |
|--------|---------|------|--------------------------------|
| 1      | 0G4969  | 1    | ENGINE 4.2L G3 (FWD)           |
| 2      | 047411  | 4    | SCREW HHC M6-1.0 X 16 C8.8     |
| 3      | 022097  | 10   | WASHER LOCK M6-1/4             |
| 4      | 022473  | 4    | WASHER FLAT 1/4-M6 ZINC        |
| 5      | 0E6585  | 1    | COVER IAC ACTUATOR             |
| 6      | 0G6434  | 2    | SHIELD SPARK PLUG BOOT RH      |
| 7      | 036261  | 10   | RIVET POP .125 X .275 SS       |
| 8      | 022145  | 7    | WASHER FLAT 5/16-M8 ZINC       |
| 9      | 022129  | 7    | WASHER LOCK M8-5/16            |
| 10     | 0G6426  | 3    | SHIELD SPARK PLUG BOOT LH      |
| 11     | 077996A | 1    | CAP ANTIFREEZE 5/8"ID X 2.5"LG |
| 12     | 048031L | 4    | CLAMP HOSE BAND 1.0"           |
| 13     | 045773  | 2    | NUT HEX M12-1.75 G8 YEL CHR    |
| 14     | 051769  | 2    | WASHER LOCK M12                |
| 15     | 049808  | 8    | WASHER FLAT M12                |
| 16     | 0G5971  | 1    | RESTRICTOR COOLANT BYPASS      |
| 17     | 0G5474  | 1    | HOSE COOLANT BYPASS 4.2L       |
| 18     | 0A6751  | 1    | SWITCH HI-TEMP 245D X 3/8NPT   |
| 19     | 0G5511  | 2    | GASKET THERMOSTAT 4.2L         |
| 20     | 049226  | 12   | WASHER LOCK M5                 |
| 21     | 074908  | 1    | SCREW HHTT M5-0.8 X 10 BP      |
| (1) 22 | REF.    | 1    | THERMOSTAT 192 DEGREE          |
| (1) 23 | REF.    | 1    | THERMOSTAT HOUSING             |
| 24     | 020753  | 2    | SCREW HHC M6-1.0 X 60 C8.8     |
| 25     | 035685  | 2    | CLAMP HOSE #28 1.32-2.25       |
| 26     | 0G5464  | 1    | HOSE RADIATOR REAR             |
| 27     | 0G7461  | 1    | STARTER MOTOR 12V              |
| 28     | 052645  | 2    | SCREW HHC M12-1.75 X 30 C8.8   |
| 29     | 068406  | 1    | SCREW HHC M12-1.75 X 60 C10.9  |
| 30     | 053557  | 2    | SCREW HHC M12-1.75 X 40 C8.8   |
| 31     | 0F9965D | 1    | FLEX PLATE G3                  |
| 32     | 0F3844  | 6    | WASHER FLAT .45 X 1.00         |
| 33     | 046526  | 11   | WASHER LOCK M10                |
| (2) 34 | 0G3757  | 6    | SCREW HHC M10-1.0 X 30 C10.9   |
| 35     | 068407  | 1    | SCREW HHC M12-1.75 X 90 C10.9  |
| 36     | 049541  | 2    | SCREW HHC M10-1.5 X 35 C8.8    |
| 37     | 022131  | 9    | WASHER FLAT 3/8-M10 ZINC       |
| 38     | 0G5231  | 1    | ENGINE ADAPTER 4.2L MACHINED   |
| 39     | 0G5586  | 1    | SPACER FLEXPLATE 4.2L          |
| 40     | 051756  | 4    | SCREW HHC M10-1.5 X 20 C8.8    |
| 41     | 0G5730  | 1    | HEAT SHIELD EXH 4.2L LH        |
| 42     | 0G5649  | 1    | CAP TUBE M22-1.5 STEEL         |

| ITEM      | PART #      | QTY. | DESCRIPTION                                                     |
|-----------|-------------|------|-----------------------------------------------------------------|
| 43        | 045772      | 2    | NUT HEX M10-1.5 G8 YEL CHR                                      |
| 44        | 0E0992A     | 6    | PLUG EXPANSION 14 OD                                            |
| 45        | 055934V     | 2    | CLAMP VINYL 1.5 X .281 Z                                        |
| (1) 46    | REF.        | 2    | SCREW HHC M6-1.0 X 25 LONG                                      |
| 47        | 0F6746      | 1    | TUBE UPPER COOLANT                                              |
| 48        | 052619      | 6    | SCREW HHC M5-0.8 X 20 G8.8                                      |
| 49        | 0F2842      | 6    | IGNITION COIL ASSY                                              |
| 50        | 052618      | 3    | SCREW HHC M5-0.8 X 12 C8.8                                      |
| 51        | 0G5843      | 1    | HARN ENG 4.2L G3 R-200 4P (NOT SHOWN)                           |
| 52        | 0G6368      | 1    | BRACKET IGNITION COILS G3 4.2L                                  |
| 53        | 0G1818      | 1    | VALVE PCV G3                                                    |
| 54        | 0F5114      | 1    | DECAL REFER TO OWNERS MANUAL                                    |
| 55        | 049821      | 3    | SCREW SHC M8-1.25 X 30 G12.9                                    |
| 56        | 0G54910ST03 | 1    | WELDMNT IDLER BRACKET 4.2L                                      |
| 57        | 0D8028      | 1    | PULLEY GROOVED ENGINE IDLER                                     |
| (2) 58    | 0D8025      | 1    | BOLT HEX FL HD M8-1.25 X 28                                     |
| 59        | 0G1738A     | 1    | CAP ANTIFREEZE RUBBER 8.5DIA                                    |
| 60        | 048031M     | 1    | CLAMP HOSE BAND .75                                             |
| 61        | 0G5601      | 1    | STRAP INTAKE ACTUATOR                                           |
| 62        | 077996      | 2    | CAP ANTIFREEZE 5/8"ID X 1.2"LG                                  |
| 63        | 0G55800ST03 | 1    | BRACKET DC ALTERNATOR LH 4.2L                                   |
| (2) 64    | 0E9868A     | 1    | ALTERNATOR DC W/OUT PULLEY                                      |
| 65        | 0G0638A     | 1    | SPACER ALTERNATOR 4.2L G3                                       |
| 66        | 048031C     | 2    | CLAMP HOSE BAND .50                                             |
| 67        | 0E9974      | 2    | CAP VINYL 3/8"ID X 1"DP BLK                                     |
| 68        | 0A8584      | 1    | SWITCH OIL PRESSURE 10PSI 2P                                    |
| 69        | 043107      | 4    | SCREW HHC M8-1.25 X 25 C8.8                                     |
| 70        | 0F3217      | 1    | SPACER DC ALTERNATOR PULLEY                                     |
| 71        | 0F3216B     | 1    | PULLEY 117 OD DC ALTERNATOR                                     |
| 72        | 0E2808      | 1    | SCREW HHC M10-1.5 X 160 C8.8                                    |
| (1) 73    | REF.        | 1    | SCREW HHC M8-1.25 X 115 LONG                                    |
| (1) 74    | REF.        | 1    | SCREW HHC M8-1.25 X 105 LONG                                    |
| 75        | 0G54220ST11 | 1    | TUBE COOLANT LOWER RADIATOR                                     |
| 76        | 0G5759      | 1    | O-RING 1-1/2" X 1-3/4" X 1/8"                                   |
| 77        | 0G5748      | 1    | PULLEY WATER PUMP 4.2L                                          |
| (2) 78    | 043116      | 4    | SCREW HHC M6-1.0 X 12 G8.8                                      |
| (1) 79    | REF.        | 1    | SPACER 46.5 O.D. X 15 I.D. X 5 THK.                             |
| (1)(2) 80 | REF.        | 1    | SCREW HHC M14-1.5 X 40 LONG GRADE 10.9                          |
| 81        | 0D3488E     | 1    | BELT SERPENTINE 71.04"                                          |
| 82        | 0G5258      | 1    | HARMONIC BALANCER REWORK 4.2L                                   |
| 83        | 051713      | 5    | WASHER FLAT M5                                                  |
| (2) 84    | 045770      | 2    | SCREW HHC M5-0.8 X 10 C8.8                                      |
| 85        | 0G55790ST03 | 1    | BRACKET DC ALTERNATOR RH 4.2L                                   |
| 86        | 052677      | 1    | WASHER NYLON .50 X .87 X .06                                    |
| 87        | 077456      | 1    | ADAPTER M12-1.75 X 3/8NPT                                       |
| 88        | 055596      | 1    | BARBED STR 3/8NPT X 3/8                                         |
| 89        | 0C7649      | 1    | CLAMP HOSE .38-.87                                              |
| 90        | 069860C     | 1    | HOSE OIL DRAIN ASSY 21"                                         |
| 91        | 080826      | 2    | SCREW HHC M6-1.0 X 12 SS                                        |
| 92        | 083896      | 2    | WASHER LOCK 1/4-M6 SS                                           |
| 93        | 084929      | 2    | WASHER FLAT 1/4 SS                                              |
| 94        | 0G5729      | 1    | HEAT SHIELD EXH 4.2L RH                                         |
| 95        | 0E6593      | 1    | CAP VINYL .5"ID X 1.0"DP BLK                                    |
| 96        | 048031J     | 1    | CLAMP HOSE BAND .63                                             |
| 97        | 0G5515      | 1    | ADAPTER THERMOSTAT                                              |
| 98        | 0G0321      | 1    | HOSE COOL 5/8"ID 250#WP (24"LG)                                 |
| 99        | 035579      | 1    | BSHG RDCR HEX 1/4 TO 1/8                                        |
| 100       | 0G6275      | 1    | TUBE ASSY EGR OUTLET REWORK                                     |
| (1)101    | REF.        | 2    | SCREW HHC M6-1.0 X 15 LONG                                      |
| 102       | 0G6393      | 1    | BOLT STRIP 3/8-16 X 1-1/4                                       |
| 103       | 0G6406      | 1    | SPRING COMPRESSION .711 X 1.00                                  |
| 104       | 0G6274      | 1    | PRESSURE RELIEF VALVE                                           |
| (1)105    | REF.        | 1    | O-RING 29mm I.D. X 36mm O.D. X 3.5mm                            |
| 106       | 0G6382      | 1    | SPARK PLUG WIRE SET 4.2L                                        |
| (1)107    | REF.        | 1    | RETAINER SPARK PLUG WIRE - LOOSE TYPE                           |
| (1)108    | REF.        | 2    | RETAINER SPARK PLUG WIRE - ATTACHED TYPE                        |
| 109       | 057823      | 3    | CLAMP HOSE #10 .56-1.06                                         |
| 110       | 0G6542      | 1    | HARN LOW OIL PRESSURE SWITCH                                    |
| 111       | 0D2244M     | 1    | ASSY MAGPICKUP(3/8-24 MALE)                                     |
|           |             |      | (1) SUPPLIED WITH ENGINE                                        |
|           |             |      | (2) APPLY MEDIUM STRENGTH BLUE THREAD LOCKING FLUID TO THREADS. |

# GROUP D



EXPLODED VIEW:  
ENGINE COMMON PARTS 4.2L G3  
DRAWING #: 0G5964

EXPLODED VIEW: ENGINE COMMON PARTS 4.2L G3

DRAWING #: 0G5964

APPLICABLE TO:

GROUP D

**THIS PAGE IS LEFT INTENTIONALLY BLANK**