



## GROUP F



**EXPLODED VIEW: EV ENCLOSURE C2****DRAWING #: 0G5969****GROUP**

| ITEM   | PART#      | QTY. | DESCRIPTION                                             |
|--------|------------|------|---------------------------------------------------------|
| (1) 1  | 0G0045     | 1    | REAR WRAP C2 CPL                                        |
| 2      | 0C2454     | 54   | SCREW THF M6-1 X 16 N WA Z/JS                           |
| (1) 3  | 0F5849     | 2    | DOOR C2                                                 |
| 4      | 087233     | 2    | RIVET POP .1875 X .450 SS                               |
| 5      | 0E3257     | 4    | SCREW TH-FRM M6 W/CAP SHKPRF W                          |
| (1) 6  | 0F5852     | 2    | DISCHARGE DUCT LH & RH SIDE C2                          |
| (1) 7  | 0F9833     | 2    | FRONT CORNERS C2                                        |
| (1) 8  | 0F5851     | 1    | DISCHARGE CENTER DUCT C2                                |
| 9      | 049813     | 2    | NUT HEX M6 X 1.0 G8 YEL CHR                             |
| (2) 10 | 077992     | 21   | NUT HEX LOCK M6-1.0 SS NY INS                           |
| (1) 11 | 0F9835     | 1    | ROOF C2                                                 |
| 12     | 0F2786     | 2    | SLITTER C4                                              |
| 13     | 0F2785     | 1    | SPLITTER LOWER C4                                       |
| 14     | 0F3364     | 1    | SPLITTER STINGER C2                                     |
| 15     | 0F4880     | 2    | SUPPORT SPLITTER LH C2                                  |
| 16     | 0F5049     | 2    | TAB PULL                                                |
| 17     | 0F4487A    | 1    | ASSEMBLY COVER ACCESS                                   |
| 18     | 022473     | 3    | WASHER FLAT 1/4-M6 ZINC                                 |
| 19     | 022097     | 1    | WASHER LOCK M6-1/4                                      |
| 20     | 022127     | 1    | NUT HEX 1/4-20 STEEL                                    |
| 21     | 0F3072     | 10   | INSULATION RETAINMENT HANGER                            |
| 22     | 078115     | 26   | WASHER SELF LOCKING DOME #4-40                          |
| 23     | 066760     | 1    | STRIP SEALANT 1/8 X 1 (44.52"LG)                        |
| 24     | 0G6001     | 1    | KIT INSULATION C2                                       |
| 24A    | 0G5892     | 2    | INSULATION DOOR C2                                      |
| 24B    | 0L3103     | 1    | KIT INSULATION C2                                       |
| 24BA   | 0G5892A    | 1    | INSULATION ROOF TOP                                     |
| 24BB   | 0G5892F    | 1    | INSULATION ROOF TOP                                     |
| 24C    | 0G5892C    | 2    | INSULATION SPLITTER                                     |
| 24D    | 0G5892D    | 2    | INSULATION SPLITTER                                     |
| 24E    | 0G5892E    | 1    | INSULATION LOWER SPLITTER                               |
| 24F    | 0G5892B    | 1    | INSULATION REAR WRAP                                    |
| 25     | 0F5048D    | 2    | WISE-ACTION LATCH SLOTTED CIR                           |
| 26     | 0E5968     | 1    | GASKET EXTRUDED TRIM (328" LG)                          |
| 27     | 0E5298L    | 1    | FOAM 300 X 300 THERMAL ACO (APPLIES TO 4.2L UNITS ONLY) |
| 28     | 0F8869D    | 1    | KEY WISE-ACTION LATCH SLOT CIR                          |
| 29     | 0F4051C    | 2    | INSULATION DUCT                                         |
| 30     | 0F3890B    | 4    | RETAINER INSULATION (820)                               |
| 31     | 0F4051B    | 2    | INSULATION DUCT SIDES                                   |
| 32     | 0F3890     | 4    | RETAINER INSULATION (450)                               |
| 33     | 078115A    | 6    | WASHER SELF LOCKING DOME #8-32                          |
| 34     | 022447     | 2    | WASHER SHAKEPROOF INT 1/4                               |
| 35     | 042568     | 2    | SCREW HHC M6-1.0 X 20 G8.8                              |
| 36     | 0912970094 | 2    | ASSY WIRE 14 AWG 34.8" GRN/YEL                          |



## NOTES (UNLESS OTHERWISE SPECIFIED):

(1) SHEET METAL PARTS LISTED IN THE BOM TABLE ARE REPRESENTING GENERIC PARTS (NO COLOR)

- MANUFACTURING: FOR CORRECT MATERIAL AND COLOR REFER TO XA BOM.
- CUSTOMER: WHEN ORDERING REPLACEMENT PARTS ENTER BASE NUMBER (FIRST 6 DIGITS ONLY) IN THE SYSTEM FOR CORRECT MATERIAL AND COLOR (FOR REFERENCE SEE GUIDELINE 0H7169).

(2) ALUMINUM ENCLOSURE NOTE: ALL ENCLOSURE PANELS THAT FASTEN TO THE BASE FRAME MUST BE SECURED USING ITEM 2 & 5 THREAD FORMING FASTENER AND I/N 10 LOCK NUT. LOCK NUT IS TO BE INSTALLED AFTER THREAD FORMING FASTENER HAS PENETRATED THROUGH EXTRUSIONS IN ENCLOSURE PANELS. ALL ROOF PANELS ARE TO BE SECURED IN THE SAME MANNER.

# GROUP F



EXPLODED VIEW:  
ENCLOSURE C2  
DRAWING #: 0G5969

## EXPLODED VIEW: ENCLOSURE C2

DRAWING #: 0G5969

GROUP F

APPLICABLE TO:

| ITEM   | PART #     | QTY. | DESCRIPTION                                             |
|--------|------------|------|---------------------------------------------------------|
| (2) 1  | 0G0045     | 1    | REAR WRAP C2 CPL                                        |
| 2      | 0C2454     | 54   | SCREW THF M6-1 X 16 N WA Z/JS                           |
| (2) 3  | 0F5849     | 2    | DOOR C2                                                 |
| 4      | 087233     | 2    | RIVET POP .1875 X .450 SS                               |
| 5      | 0E3257     | 4    | SCREW TH-FRM M6 W/CAP SHKPRF W                          |
| (2) 6  | 0F5852     | 2    | DISCHARGE DUCT LH & RH SIDE C2                          |
| (2) 7  | 0F9833     | 2    | FRONT CORNERS C2                                        |
| (2) 8  | 0F5851     | 1    | DISCHARGE CENTER DUCT C2                                |
| 9      | 049813     | 2    | NUT HEX M6 X 1.0 G8 YEL CHR                             |
| (1) 10 | 077992     | 21   | NUT HEX LOCK M6-1.0 SS NY INS                           |
| (3) 11 | 0F9835     | 1    | ROOF C2                                                 |
| 12     | 0F2786     | 2    | SPLITTER C4                                             |
| 13     | 0F2785     | 1    | SPLITTER LOWER C4                                       |
| 14     | 0F3364     | 1    | SPLITTER STINGER C2                                     |
| 15     | 0F4880     | 2    | SUPPORT SPLITTER LH C2                                  |
| 16     | 0F5049     | 2    | TAB PULL                                                |
| 17     | 0F4487A    | 1    | ASSEMBLY COVER ACCESS                                   |
| 18     | 022473     | 3    | WASHER FLAT 1/4-M6 ZINC                                 |
| 19     | 022097     | 1    | WASHER LOCK M6-1/4                                      |
| 20     | 022127     | 1    | NUT HEX 1/4-20 STEEL                                    |
| 21     | 0F3072     | 10   | INSULATION RETAINMENT HANGER                            |
| 22     | 078115     | 26   | WASHER SELF LOCKING DOME #4-40                          |
| 23     | 0G5892     | 2    | INSULATION DOOR C2                                      |
| 24     | 0G5892A    | 1    | INSULATION ROOF TOP                                     |
| 25     | 0F5048D    | 2    | WISE-ACTION LATCH SLOTTED CIR                           |
| 26     | 0E5968     | 1    | GASKET EXTRUDED TRIM (328" LG)                          |
| 27     | 0G5892D    | 2    | INSULATION SPLITTER                                     |
| 28     | 0G5892C    | 2    | INSULATION SPLITTER                                     |
| 29     | 0F4051C    | 2    | INSULATION DUCT                                         |
| 30     | 0F3890B    | 4    | RETAINER INSULATION (820)                               |
| 31     | 0F4051B    | 2    | INSULATION DUCT SIDES                                   |
| 32     | 0F3890     | 4    | RETAINER INSULATION (450)                               |
| 33     | 078115A    | 6    | WASHER SELF LOCKING DOME #8-32                          |
| 34     | 0G5892E    | 1    | INSULATION LOWER SPLITTER                               |
| 35     | 042568     | 2    | SCREW HHC M6-1.0 X 20 G8.8                              |
| 36     | 0912970094 | 2    | ASSY WIRE 14 AWG 34.8" GRN/YEL                          |
| 37     | 022447     | 2    | WASHER SHAKEPROOF INT 1/4                               |
| 38     | 0G5892B    | 1    | INSULATION REAR WRAP                                    |
| 39     | 0F8869D    | 1    | KEY WISE-ACTION LATCH SLOT CIR                          |
| 40     | 0E5298L    | 1    | FOAM 300 X 300 THERMAL ACO (APPLIES TO 4.2L UNITS ONLY) |
| 41     | 066760     | 1    | STRIP SEALANT 1/8 X 1 (44.52"LG)                        |

(1) ALUMINUM ENCLOSURE NOTE: ALL ENCLOSURE PANELS THAT FASTEN TO THE BASE FRAME MUST BE SECURED USING ITEM 2 & 5 THREAD FORMING FASTENER AND I/N 10 LOCK NUT. LOCK NUT IS TO BE INSTALLED AFTER THREAD FORMING FASTENER HAS PENETRATED THROUGH EXTRUSIONS IN ENCLOSURE PANELS. ALL ROOF PANELS ARE TO BE SECURED IN THE SAME MANNER.

(2) NOTE: PART NUMBER SHOWN IS FOR TAN / STEEL. REFER TO THE SAMPLE GUIDE BELOW FOR AVAILABLE COLOR AND/OR ALUMINUM PART NUMBER FORMAT.

|                               |                                 |
|-------------------------------|---------------------------------|
| 0FXXXXSN = TAN / STEEL        | 0FXXXXST13 = BISQUE / STEEL     |
| 0FXXXXAN = TAN / ALUMINUM     | 0FXXXXALT13 = BISQUE / ALUMINUM |
| 0FXXXXSG = T- GRAY / STEEL    | 0FXXXXST14 = GRAY / STEEL       |
| 0FXXXXNG = T- GRAY / ALUMINUM | 0FXXXXALT14 = GRAY / ALUMINUM   |
| 0FXXXXST05 = WHITE / STEEL    |                                 |
| 0FXXXXAL05 = WHITE / ALUMINUM |                                 |

(3) PART NUMBER SHOWN IS FOR TAN. SEE GUIDE BELOW FOR AVAILABLE COLOR AND PART NUMBER FORMAT.

|                               |                                 |
|-------------------------------|---------------------------------|
| 0FXXXXAN = T- GRAY / ALUMINUM | 0FXXXXALT13 = BISQUE / ALUMINUM |
| 0FXXXXAL05 = WHITE / ALUMINUM | 0FXXXXALT14 = GRAY / ALUMINUM   |