



GROUP G



GROUP G



STATOR

ROTOR

POWER WINDING

EXCITATION WINDING

FIELD BOOST DIODE

GOVERNOR ACTUATOR

LEGEND

BA - BRUSH ASSEMBLY
 CB1 - CIRCUIT BREAKER, MAIN OUTPUT
 CS - CHOKE SOLENOID
 FS - FUEL SOLENOID
 HTO - HIGH TEMPERATURE SWITCH
 IM - IGNITION MODULE
 LOP - LOW OIL PRESSURE SWITCH
 MOV - VARISTOR
 SC - STARTER CONTACTOR
 SCR - STARTER CONTROL RELAY
 SM - STARTER MOTOR
 SP - SPARK PLUG

TABLE FOR C1 WIRING OPTIONS

C1 PIN #	0	4	2	6	11	44
0	0	4	2	6	11	44
4	0	4	2	6	11	44
2	0	4	2	6	11	44
6	0	4	2	6	11	44
11	0	4	2	6	11	44
44	0	4	2	6	11	44

LED BOARD

L1: GREEN = SYSTEM READY
 L2: YELLOW = MAINTENANCE REQ'D
 L3: RED = ALARM

-12/14KW AIRCOOLED HSB

WD/SD 10-12/14KW AIRCOOLED HSB

REVISION: -C-

DATE: 01/11/11