


# GROUP D



## EXPLODED VIEW: COOLSYS/FAN DRIVE 5.4L &amp; 4.6L CP

DRAWING #: 0H3915

GROUP D

APPLICABLE TO:

| ITEM   | PART#       | QTY.    | DESCRIPTION                    |
|--------|-------------|---------|--------------------------------|
| 1      | 0H20530ST03 | 1       | WELDMENT RADIATOR SUPPORT C5   |
| 2      | 0F2611      | 1       | RADIATOR 680 X 680 X 70 CPL    |
| 3      | 0F5254      | 1       | V-BELT 31/64" X 62-3/8"        |
| 4      | 046526      | 9       | WASHER LOCK M10                |
| (2) 5  | 059981      | 4       | SCREW HHC M10-1.5 X 30 C10.9   |
| 6      | 0C2454      | 2       | SCREW THF M6-1 X 16 N WA Z/JS  |
| 7      | 052250      | 2       | TAPE FOAM 1 X 1 (26.75" LG)    |
| 8      | 076749      | 1       | TANK COOLANT RECOVERY          |
| 9      | 0F2573      | 1       | PULLEY FAN V-GROOVE 9"         |
| 10     | 0F2610      | 1       | FAN 26" LH ROTATION            |
| 11     | 0H20620ST03 | 1       | ARM BELT TENSIONER             |
| (2) 12 | 0H2051      | 1       | SHOULDER BOLT 1/2 X 2-1/4"     |
| 13     | 0F2862      | 1       | SPRING TENSION CPL             |
| 14     | 0F2560      | 1       | PULLEY V-BELT 4" FLANGED       |
| 15     | 022131      | 8       | WASHER FLAT 3/8-M10 ZINC       |
| (2) 16 | 039287      | 1       | SCREW HHC M8-1.25 X 45 C8.8    |
| 17     | 0C8566      | 8       | SCREW HHFC M6-1.0 X 20 G8.8    |
| 18     | 0F2561      | 1       | HUB FLEX PLATE                 |
| 19     | 0C8165      | 2       | NUT HEX LOCK 5/16-24 NY INS    |
| (2) 20 | 0D6795      | 1       | SCREW HHC M12-1.5 X 60 G8.8    |
| 21     | 0C7043      | 12      | DISK FLEX                      |
| 22     | 0G1039      | 1       | COUPLING FLEX HUB MACHINED     |
|        | (4) 0H5380  | 1       | COUPLING FLEX HUB MACHINED     |
| 23     | 048031C     | 1       | CLAMP HOSE BAND 1/4            |
| (2) 24 | 0C8146      | 4       | SCREW HHC 5/16-24 X 1.124      |
| 25     | 082774      | 2       | KEY WOODRUFF 4 X 19D           |
| 26     | 0H3909      | 1       | HOSE RADIATOR UPPER C5 CPL     |
|        | (4) 0F2686  | 1       | HOSE, RADIATOR UPPER, CPL      |
| 27     | 0H3908      | 1       | HOSE RADIATOR LOWER C5 CPL     |
|        | (4) 0F5463  | 1       | HOSE LOWER RAD CPL C5 6.8L     |
| 28     | 0F8695      | 1       | ASSY BRG/SHAFT CPL FANDRIVE    |
| 29     | 0F4032      | 1       | PULLEY 5.5" DIA MACHINED       |
| (2) 30 | 042911      | 1       | SCREW HHC M10-1.5 X 30 G8.8    |
| 31     | 0F2872      | 1       | SCREW HHC 1/2-13 X 2" G8       |
| 32     | 022304      | 1       | WASHER FLAT 1/2 ZINC           |
| 33     | 022195      | 1       | WASHER LOCK 1/2                |
| 34     | 022196      | 1       | NUT HEX 1/2-13 STEEL           |
| 35     | 049813      | 8       | NUT HEX M6 X 1.0 G8 YEL CHR    |
| 36     | 052677      | 1       | WASHER NYLON .50 X .87 X .06   |
| 37     | 090283      | 1       | CAP RADIATOR 13 PSI            |
| 38     | 0F2776A     | 1       | BRACKET, SIGNAL CONDITIONER    |
| 39     | 022145      | 4       | WASHER FLAT 5/16-M8 ZINC       |
| 40     | 022129      | 2       | WASHER LOCK M8-5/16            |
| 41     | 052644      | 1       | SPACER .5 X 1.5 X .25 STL/ZINC |
| 42     | 035685      | 2       | CLAMP HOSE #28 1.32-2.25       |
| 43     | 045764      | 1       | SCREW HHTT M4-0.7 X 8 BP       |
| 44     | 065852      | 1       | SPRING CLIP HOLDER .37-.62     |
| 45     | 0C7649      | 1       | CLAMP HOSE .38-.87             |
| 46     | 043790      | 1       | BARBED EL 90 3/8 NPT X 3/8     |
|        | (4) 055596  | 1       | BARBED STR 3/8NPT X 3/8        |
| 47     | 069860E     | 1       | HOSE DRAIN ASSY 28"            |
| (1) 48 | 069811      | REF     | CAP HEX 1/4 NPT BRASS          |
| 49     | 080713      | 1       | BRACKET COOLANT TANK           |
| 50     | 022473      | 24      | WASHER FLAT 1/4-M6 ZINC        |
| 51     | 022097      | 16      | WASHER LOCK M6-1/4             |
| 52     | 042568      | 8       | SCREW HHC M6-1.0 X 20 G8.8     |
| 53     | 0F5050B     | 1       | SHIELD RADIATOR                |
|        | (4) 0F5050  | 1       | SHIELD RADIATOR                |
| 54     | 039253      | 3       | SCREW HHC M8-1.25 X 20 G8.8    |
| 55     | 051769      | 1       | WASHER LOCK M12                |
| 56     | 0C8145      | 8       | WASHER FLEX (THIN)             |
| 57     | 0H1827      | 1       | PROBE COOLANT LEVEL 3/8-18NPTF |
| 58     | 0H23980ST03 | 1       | BRACKET TENSIONER SPRING       |
| 59     | 029032      | 1       | HOSE 9/32 ID (43"LG)           |
| 60     | 049820      | 2       | NUT HEX LOCK M8-1.25 NY INS    |
| (3) 61 | 0H2844      | 2 (REF) | BEARING SLEEVE 1/2 X 3/4 X 1   |
| 62     | 0G53150AL0R | 1       | SPACER CPL COOLING FAN 1/8"    |
| 63     | 051756      | 4       | SCREW HHC M10-1.5 X 20 C8.8    |
| 64     | 099502      | 2       | CLAMP HOSE #24 B1.06-2.00      |

# EXPLODED VIEW: COOLSYS/FAN DRIVE 5.4L & 4.6L CP

DRAWING #: 0H3915

GROUP D

APPLICABLE TO:

| ITEM   | PART#   | QTY. | DESCRIPTION                |
|--------|---------|------|----------------------------|
| (5) 65 | 0D6029  | 1    | SCREW HHTT M6-1.0 X 16 ZYC |
| (5) 66 | 055934H | 1    | CLAMP STL/VNL .62 X .406 Z |
| (5) 67 | 072252  | 1    | GROMMET 1.37 X .06 X 1.00  |

(1) ITEM 48 IS INCLUDED WITH 47.


(2) APPLY MEDIUM STRENGTH BLUE THREAD LOCKING FLUID TO THREADS.

(3) ITEM 61 IS INCLUDED WITH ITEM 1.

(4) THESE PARTS ARE 5.4L 80KW SPECIFIC.

(5) CATALYST EQUIPPED UNITS ONLY.

GROUP D



OPEN SETS ONLY

**EXPLODED VIEW: COOLSYS/FAN DRIVE 5.4L & 4.6L CP****DRAWING #: 0H3915****GROUP D****APPLICABLE TO:**

| ITEM  | PART#           | QTY. | DESCRIPTION                   |
|-------|-----------------|------|-------------------------------|
| 1     | 0G15310GS0R     | 2    | PANEL C5 FRONT SIDES          |
| 2     | 0G15320GS0R     | 2    | PANEL C5 REAR SIDES           |
| 3     | 0G15300GS0R     | 1    | PANEL LOWER FRONT             |
| 4     | 0G15290GS0R     | 1    | PANEL C5 TOP                  |
|       | (2) 0H30010GS0R | 1    | PANEL C5 TOP                  |
| 5     | 0G15330GS0R     | 1    | PANEL C5 TOP MOUNT            |
| 6     | 0C2454          | 20   | SCREW THF M6-1 X 16 N WA Z/JS |
| (1) 7 | 0D3215B         | 2    | ACCESS COVER 160 X 170 GALV   |
| (1) 8 | 0C2454          | 8    | SCREW THF M6-1 X 16 N WA Z/JS |

(1) NOT REQUIRED FOR UNITS WITH CATALYST.

(2) CATALYST EQUIPPED UNITS ONLY

**EXPLODED VIEW: COOLSYS/FAN DRIVE 5.4L & 4.6L CP**

**DRAWING #: 0H3915**

**GROUP D**

**APPLICABLE TO:**

**THIS PAGE LEFT INTENTIONALLY BLANK**