

4

3

2

1

D

C

B


A

D

C

B

A



FRONT - 0H9228  
ENGLISH

PART NUMBER & REVISION  
(SEE NOTE 5)

YELLOW GOLD BORDER PMS 124  
PANTONE BLACK TEXT  
TYP

GRAPHIC PANTONE BLACK  
BACKGROUND PANTONE WHITE  
TYP

BORDER & TEXT  
GRAY PMS 422  
TYP

GRAPHIC  
PANTONE BLUE PMS 280



BACK - 0H9228

SPANISH CASTILIAN  
FRENCH CANADIAN

SEE NOTE 4

NOTES:  
1. FONT STYLE, TEXT SIZE, AND COLORS PER SUPPLIED ARTWORK (SEE TABLE)  
(REV TO MATCH DRAWING)  
2. MATERIAL: 0.007" WHITE SYNTHETIC PAPER-VINYL.  
3. DIMENSIONS IN BRACKETS [ ] ARE IN INCHES.  
4. GENERAC LOGO MUST MEET SPECIFICATIONS ON DRAWING 0H1888.  
5. LOCATION OF PART NUMBER: AS SHOWN ABOVE. PART NUMBER AND REVISION  
TO BE ADDED BY DECAL SUPPLIER. LETTERING TO BE HELVETICA, BLACK, FONT SIZE SHALL BE LEGIBLE.  
DRAWING CREATED FROM PRO/ENGINEER  
3D FILE. ECO MODIFICATION TO BE  
APPLIED TO SOLID MODEL ONLY.

8/16/10	-A	RELEASED.	10/30/12	J-3246-F	REMOVED 3250W FROM ARTWORK ON PAGE 1
3/5/12	J-1638-B	UPDATE STEP 5 TEXT.	1/30/13	J-4076-G	ADDED 0H9228B PAGE 3
4/5/12	J-1761-C	ADDED 0H9228A			
5/10/12	J-1912-D	UPDATED ARTWORK ON PAGE 2			
6/27/12	J-2137-E	ADD PN AND NOTE 5.			

GENERAL TOLERANCES UNLESS NOTED	
ALL XX = ± 1 MM XX.X = ± 1 MM XX.XX = ± 1 MM ALL ANG = ± 1°	THIRD ANGLE PROJECTION
INTERPRET DIM AND TOL PER ASME Y14.5M-1994	
DATUM INDICATING SYMBOL	PERPENDICULARITY
POSITION	ANGULARITY
PROFILE OF A SURFACE	CIRCULAR RUNOUT
FLATNESS	PARALLELISM

APPROVALS		DATE
DRAWN BY	DMC	8/11/10
CHECKED BY	KC	8/13/10
MFG ENG		
APPROVED BY	CR	8/16/10
FIRST USE:	05790-1	
ELECTRONICALLY APPROVED INSIDE WINDCHILL		
LIFECYCLE STATE: In Work		

GENERAC			
QUICK START GUIDE GP E/S/F			
MATERIAL SEE_ABOVE		GENERAC SPECIFICATION AS ABOVE	PAINT SURFACE FINISH NA
SIZE C	CAGE NO N/A	DWG NO 0H9228\$	REV G
SCALE 1.000	WT-KG NA	SHEET 1 of 3	



4

3

2

1

D

D

C



C

B

B

A

A




FRONT - 0H9228A  
ENGLISH

BACK - 0H9228A  
RUSSIAN

SAME AS SHEET 1 EXCEPT ARTWORK


DRAWING CREATED FROM PRO/ENGINEER  
3D FILE. ECO MODIFICATION TO BE  
APPLIED TO SOLID MODEL ONLY.

GENERAL TOLERANCES UNLESS NOTED					THIRD ANGLE PROJECTION					<div>GENERAC®</div>							
ALL XX = ± 1 MM XX.X = ± 1 MM XX.XX = ± 1 MM ALL ANG = ± 1° INTERPRET DIM AND TOL PER ASME Y14.5M-1994										SIZE C		CAGE NO N/A		DWG NO 0H9228\$		REV G	
SCALE 1.000					WT-KG N/A		SHEET 2 of 3										



FRONT - 0H9228B

ENGLISH



BACK - 0H9228B

SPANISH CASTILIAN  
FRENCH CANADIAN

SAME AS SHEET 1 EXCEPT ARTWORK

GENERAL TOLERANCES UNLESS NOTED	
ALL XX = ± 1 MM	THIRD ANGLE PROJECTION
XX.X = ± 1 MM	
XX.XX = ± 1 MM	
ALL ANG = ± 1°	
INTERPRET DIM AND TOL PER ASME Y14.5M-1994	

GENERAC®					
SIZE C	CAGE NO N/A	DWG NO 0H9228\$			REV G
SCALE	1.000	WT-KG	N/A	SHEET	3 of 3