




EXPLODED VIEW: EV ENG COM PARTS G16 D2.4**DRAWING #: 0K1665****GROUP D****APPLICABLE TO:**

ITEM	PART#	QTY.	DESCRIPTION
1	0K2256	1	ENGINE D2.4L G16 49HP (EM ST)
2	0D2244M	1	ASSY MAGPICKUP(3/8-24 MALE)
(2)3	0H51080ST0R	1	BRACKET D2.4L G16 FUEL FILTER
4	0G9648A	1	FAN SPACER 2.4L G16 22" FAN
5	G049541	6	SCREW HHC M10-1.5 X 35 C8.8
6	0F4011	1	FAN COOL 22" DIA 10 BLADE LH
7	0K0177A	1	ADAPTOR 390 ALT SAE3 MACHINED
(2)8	0H61160ST0R	2	SPACER, 2.4L G16 FOOT
(2)9	0K41030ST0R	1	ENGINE FOOT 2.4L G16 PD LH
(2)10	0H41100SS0R	1	HEAT SHIELD, TURBO
(2)11	0H41110SS0R	1	HEAT SHIELD, LEFT
(2)12	0H41120SS0R	1	HEAT SHIELD, RIGHT
(4)13	0A4707L	1	ADAPTER 3/8NPT X M14-1.5
14	0E0502	1	TEMPERATURE SENDER, DELPHI
15	0A8240	2	FLEX PLATE SAE10
16	0D8427	8	WASHER LOCK M10 RIBBED ZINC
17	0H6339	1	ASSY 2.4L G16 MECH GOV
18	G046526	27	WASHER LOCK M10
19	G022131	11	WASHER FLAT 3/8-M10 ZINC
20	0F8408	3	SCREW HHC M10-1.50 X 16 C10.9
21	G034339	1	BARBED EL 90 3/8NPT X 5/8
22	G022145	3	WASHER FLAT 5/16-M8 ZINC
(3)(4)23	G052647	24	SCREW SHC M10-1.5 X 25 C12.9
24	G042907	3	SCREW HHC M8-1.25 X 16 C8.8
25	G052221	1	HOSE 5/16 ID TYP1 SNGL HTR (16"LG)
26	0H7435	1	HARN LOW OIL PRESS SWITCH ASSY
27	G027482	2	WASHER LOCK EXT 5/16 STL
(3)28	G059985	4	SCREW SHC M8-1.25 X 45 C12.9
29	G022129	8	WASHER LOCK M8-5/16
(1)30	035472(REF)	1(REF)	CLAMP HOSE #6 .43-.78
31	G057822	1	CLAMP HOSE #8 .53-1.00
32	0K1538	1	ASSY OIL DRAIN HOSE 5/8" ID
33	G051768	2	SCREW HHC M12-1.75 X 25 C8.8
34	G042568	1	SCREW HHC M6-1.0 X 20 C8.8
35	G022473	2	WASHER FLAT 1/4-M6 ZINC
36	G077992	1	NUT HEX LOCK M6-1.0 SS NY INS
(6)37	0E7403A	1	FUSE ATO TYPE 5 AMP (TAN)
38	G049808	2	WASHER FLAT M12
39	G051769	2	WASHER LOCK M12
(1)40	0G1738A(REF)	1(REF)	CAP ANTIFREEZE RUBBER 8.5D
41	0K2798	1	HARN ENG D2.3L/D2.4L G16 CPL
42	G042574	1	ADAPTOR 1/8NPTF TO 1/8BSPT
43	077043A	1	CONDUIT FLEX .38"ID (13.75"LG)
44	G085662	4	TIE WRAP UL 14.6 X .14 BLK
45	G098544	2	SCREW HHC M10-1.25 X 16 C10.9
46	055934AA	1	CLAMP STL/VNL .812 X .531
47	0A4456	1	WASHER LOCK SPECIAL 3/8
48	0G3662A	6	CLAMP,HOSE STEPLESS 14.5 (2 NOT SHOWN)
(2)49	0H12040ST0R	1	BOSCH HOLDER
50	G088034	1	REDUCER 3/4-3/8 THD 18LG
51	0D2157	4	SCREW SHC M6-1.0 X 50 C8.8
52	G022097	4	WASHER LOCK M6-1/4
54	G058043	1	BARBED STR 1/4 NPT X 5/16
(2)55	0K41040ST0R	1	ENGINE FOOT 2.4L G16 PD RH

EXPLODED VIEW: EV ENG COM PARTS G16 D2.4**DRAWING #: 0K1665****GROUP D****APPLICABLE TO:**

ITEM	PART#	QTY.	DESCRIPTION
56	G032552	1	BARBED EL 90 5/16 X 1/8NPT
57	G049226	2	WASHER LOCK M5
(2)58	0H52360ST0R	1	MECH PUMP EXTENDER 2.4L
59	G033147	1	SCREW HHM #10-32 X 1
60	G051713	4	WASHER FLAT M5
61	---	---	-----
62	G037398	1	NUT HEX LOCK #10-32 NY INS
63	G049815	2	SCREW HHC M5-0.8 X 16 G8.8
64	G052221	1	HOSE 5/16 ID TYP1 SNGL HTR (26"LG)
65	G052221	1	HOSE 5/16 ID TYP1 SNGL HTR (27"LG)
66	G045771	1	NUT HEX M8-1.25 G8 CLEAR ZINC

(1) COMPONENTS SUPPLIED WITH ENGINE

(2) SHEET METAL PARTS LISTED IN THE BOM TABLE ARE REPRESENTING GENERIC PARTS (NO COLOR)

- MANUFACTURING: FOR CORRECT MATERIAL AND COLOR REFER TO AS400 BOM.
- CUSTOMER: WHEN ORDERING REPLACEMENT PARTS ENTER BASE NUMBER (FIRST 6 DIGITS ONLY) IN THE SYSTEM FOR CORRECT MATERIAL AND COLOR (FOR REFERENCE SEE GUIDELINE 0H7169).

(3) APPLY MEDIUM STRENGTH BLUE THREAD LOCKING FLUID TO THREADS.

(4) TORQUE VALUES:

ITEM #23 – 46ft-lbs

ITEM #13 – 7ft-lbs.

(5) ALL STANDARD HARDWARE TO BE TORQUED PER EDS001.

(6) ITEMS INCLUDED WITH HARNESS P/N 0K2798.

EXPLODED VIEW: EV ENG COM PARTS G16 D2.4

DRAWING #: 0K1665

GROUP D

APPLICABLE TO:

ITEM	PART#	QTY.	DESCRIPTION
------	-------	------	-------------

This page left blank intentionally