



SINGLE MODULE




(5) TURBO UNITS HAVE ADDITIONAL HOLES FOR ALTERNATOR UPSIZE. USE LEFTMOST SET AS DEFAULT.




G4.5L UNITS ONLY

DUAL MODULE



(5) TURBO UNITS HAVE ADDITIONAL HOLES FOR ALTERNATOR UPSIZE, USE LEFTMOST SET AS DEFAULT.



G4.5L UNITS ONLY

EXPLODED VIEW: EV CONBOX 390 MODULE

DRAWING #: 0J1339

GROUP A

APPLICABLE TO:

ITEM	PART#	QTY.	DESCRIPTION
SINGLE MODULE			
(1)1	0H95790ST0R	1	MD1 / MD2 CB MODULE 390 ALT
	(1)(4)0H9579DST0R	1	MD1, MAIN MODULE 390 ALT G5.4L
(1)2	0J17560ST0R	1	WIRE TUNNEL, MD1-2 390 ALT
3	0A4456	2	WASHER LOCK SPECIAL 3/8
4	061383	1	LUG SLDLSS 3/0-#4 X 13/32 CU
5	0E1534A	2	PLUG PLASTIC 1.50"
6	056326	2	TRIM VINYL BLACK 1/8GP (7.1"LG)
7	045772	2	NUT HEX M10-1.5 G8 YEL CHR
8	067210B	1	DECAL GROUND
10	0A9457A	1	DECAL NEUTRAL
11	0C2454	4	SCREW HWHT M6-1 X 16 N WA Z/JS
12	024526	4	SCREW HHTT 5/16-18 X 3/4 CZ
13	022129	4	WASHER LOCK M8-5/16
14	022145	4	WASHER FLAT 5/16-M8 ZINC
15	0441140781	1	WIRE ASM, GND 2/0 WIRE 3/8 LUG
16	022131	4	WASHER FLAT 3/8-M10 ZINC
17	049541	2	SCREW HHC M10-1.5 X 35 C8.8
(3)(2)18	0J0455	REF	BLOCK, TERM 14 POS X 8 X 1600V
(3)(2)19	0J9078	REF	DECAL TB4 HV CUSTOMER CONN
(3)(2)21	0J5462	REF	SCREW THTT M4-0.7 X 16 ZP
22	023827	REF	BLOCK TERM JUMPER FOR S142/542

NOTES (UNLESS OTHERWISE SPECIFIED):

(1) SHEET METAL PARTS LISTED IN THE BOM TABLE ARE REPRESENTING GENERIC PARTS (NO COLOR)

• MANUFACTURING: FOR CORRECT MATERIAL AND COLOR REFER TO AS400 BOM.

• CUSTOMER: WHEN ORDERING REPLACEMENT PARTS ENTER BASE NUMBER (FIRST 6 DIGITS ONLY) IN THE SYSTEM FOR CORRECT MATERIAL AND COLOR (FOR REFERENCE SEE GUIDELINE 0H7169).

(2) WILL BE INSTALLED ON PRIMARY CB MODULES ONLY. NOT REQUIRED WITH LOAD CENTER.

(3) NOT REQUIRED IF EQUIPPED WITH 0J1594, KIT BATTERY CHARGER POWER CORD.

(4) ON G4.5L TRUBO UNITS, GROUND WIRE SHOULD BE ROUTED ON OUTSIDE OF ITEM 1 AND ATTACH TO HOLE ON INSIDE OF SUPPORT BRACKET.

DUAL MODULE			
(1)1	0H95790ST0R	2	MD1 / MD2 CB MODULE 390 ALT
	(1)(4)0H9579DST0R	2	MD1, MAIN MODULE 390 ALT G5.4L
(1)2	0J17560ST0R	2	WIRE TUNNEL, MD1-2 390 ALT
3	0A4456	4	WASHER LOCK SPECIAL 3/8
4	061383	2	LUG SLDLSS 3/0-#4 X 13/32 CU
5	0E1534A	4	PLUG PLASTIC 1.50"
6	056326	4	TRIM VINYL BLACK 1/8GP (7.1"LG)
7	045772	4	NUT HEX M10-1.5 G8 YEL CHR
8	067210A	2	DECAL GROUND LUG
9	0H8006	2	DECAL CAUTION ELEC SHOCK SM
10	0A9457	2	DECAL NEUTRAL
11	0C2454	8	SCREW HWHT M6-1 X 16 N WA Z/JS
12	024526	8	SCREW HHTT 5/16-18 X 3/4 CZ
13	022129	8	WASHER LOCK M8-5/16
14	022145	8	WASHER FLAT 5/16-M8 ZINC
15	0441140781	2	WIRE ASM, GND 2/0 WIRE 3/8 LUG
16	022131	8	WASHER FLAT 3/8-M10 ZINC
17	049541	4	SCREW HHC M10-1.5 X 35 C8.8
(3)(2)18	0J0455	REF	BLOCK, TERM 14 POS X 8 X 1600V
(3)(2)19	0J9078	REF	DECAL, TB4 HV CUSTOMER CONN
(3)(2)21	0J5462	REF	SCREW THTT M4-0.7 X 16 ZP
22	023827	REF	BLOCK TERM JUMPER FOR S142/542

NOTES (UNLESS OTHERWISE SPECIFIED):

(1) SHEET METAL PARTS LISTED IN THE BOM TABLE ARE REPRESENTING GENERIC PARTS (NO COLOR)

• MANUFACTURING: FOR CORRECT MATERIAL AND COLOR REFER TO AS400 BOM.

• CUSTOMER: WHEN ORDERING REPLACEMENT PARTS ENTER BASE NUMBER (FIRST 6 DIGITS ONLY) IN THE SYSTEM FOR CORRECT MATERIAL AND COLOR (FOR REFERENCE SEE GUIDELINE 0H7169).

(2) WILL BE INSTALLED ON PRIMARY CB MODULES ONLY. NOT REQUIRED WITH LOAD CENTER.

(3) NOT REQUIRED IF EQUIPPED WITH 0J1594, KIT BATTERY CHARGER POWER CORD.

(4) ON G4.5L TRUBO UNITS, GROUND WIRE SHOULD BE ROUTED ON OUTSIDE OF ITEM 1 AND ATTACH TO HOLE ON INSIDE OF SUPPORT BRACKET.

EXPLODED VIEW: EV CONBOX 390 MODULE

DRAWING #: 0J1339

GROUP A

APPLICABLE TO:

ITEM	PART#	QTY.	DESCRIPTION
------	-------	------	-------------

This page left blank intentionally